




# Regency™

LIMITED LIFETIME ARCHITECTURAL SHINGLES<sup>1</sup>

*Our best against nature's worst.*



Colour featured: Castle Grey

<sup>1</sup>See Limited Warranty for complete terms, conditions, restrictions, and application requirements.





Appalachian



Biscayne



Pacific Rim



Glacier



Sedona



Cornerstone



Castle Grey

## Extreme good looks make your home the envy of your neighbourhood

CRC's Regency premium laminated architectural shingles offer protection from inclement weather and peace-of-mind. PLUS they look fantastic, boost curb appeal and can potentially increase the resale value of your property.

Deep shadow bands add contrast and dimensional profile to give your roof a stunning, impressive appearance and roofline.

Regency shingles are manufactured in CRC's larger exposure size. Bigger than most competitors' comparable product, they offer greater exposure to give you a dramatic-looking roof that really stands out from the ordinary.

Choose from seven fresh, bold, high-definition colour blends. CRC's Colour Blend Technology offers the perfect match for your home's architecture and your personal sense of style from rustic to urban, traditional to modern. Co-ordinated hip and ridge cap shingles are the ultimate accessory to create a spectacular new roofscape for your home.



Colour featured: Biscayne

# Regency battles the elements, protects against inclement weather


When you choose Regency shingles, you'll have the peace of mind that comes from knowing your home and family will be protected against the elements for many years to come.

A home's biggest enemy is water. Shingles are the first line of defense against water penetration. Shingles that blow off your roof in high wind simply can't do their job.

But high winds, rain and other forms of inclement weather are no match for CRC Regency shingles. Thanks to their advanced design, CRC Regency shingles are engineered to be one of the most wind-resistant shingles in the CRC line-up.

*CRC provides a Limited Wind Warranty for winds of up to 130 mph (210 km/h)<sup>1</sup> with the use of only four (4) nails. That's equal to a category four hurricane on the Saffir-Simpson Hurricane Scale.*

Here's a closer look at how CRC Regency shingles are built to perform.



1. Release Tape prevents shingles from sticking together in the bundle.
2. Tear-resistant, Reinforced Woven Band provides fastening strength over a greater surface area of the shingle, helping to prevent nail heads from pulling through the shingle in high winds.
3. Our modified bitumen sealant strip is formulated to be thick and aggressive to promote a strong bond and extraordinary performance with radiant heat from the sun.
4. 5 strips of our tough sealant are used in the construction of the Regency shingle.
5. Dual nailing lines, top and bottom, 1-1/4" apart, guide installers to Regency shingles' wider nailing surface for correct nail placement. Nails applied in this area ensure fastening power for proper product performance.
6. Algae Resistant Granules.<sup>2</sup> This built-in algae resistance inhibits algae growth, which can cause unsightly black stains on your roof.

<sup>1</sup> See Limited Warranty for complete terms, conditions, restrictions, and application requirements.

<sup>2</sup> This article contains a preservative to prevent discoloration by algae.

## PRODUCT SPECIFICATIONS

Length	40 7/8 in (1038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage Per Bundle	33.3 ft <sup>2</sup> (3.1 m <sup>2</sup> )

## STANDARDS<sup>†</sup>

ASTM D3462	ASTM D7158 - Class H
ASTM D3018	CSA A123.5
ASTM D3161 - Class F	
ASTM E108 - Class A	

## THE CRC ADVANTAGE

Limited Warranty <sup>1</sup>	Limited Lifetime
Iron Clad Protection <sup>1</sup>	15 Years
Limited Wind Warranty <sup>1</sup>	130 mph (210 km/h)
Algae Resistant <sup>*</sup>	Yes
Three bundles = One full square That's 100 sq. ft. coverage	



Shingles alone are usually not enough to protect your home. CRC recommends using superior multi-layered roofing components for these vulnerable areas of your roof.

### 1. Eave Protection

#### StormTamer™ Ice & Water Protector

Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

### 2. Underlayment

#### RoofGard-Cool Grey™ or Stormtite® Underlayment

Use the innovative RoofGard-Cool Grey or Stormtite synthetic underlayment for total deck protection.

### 3. Roof Starters

#### Leading Edge Plus™ Starter Strips<sup>3</sup>

Fast, easy and convenient. Starter strips that are already cut to size save valuable time during the installation of the first course of shingles. Compatible with all existing CRC Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.



### 4. Ridge Cap Shingles

#### Hip & Ridge Plus™, Hip & Ridge 12™ or Ultra HP™ High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.

<sup>3</sup>Rake application of starter strip shingles not required for Regency.

Find out more about our products now by talking to a CRC Sales Representative, your professional roofing contractor or contact us directly at:  
1-855-CRC-ROOF (1-855-272-7663) or visit our website at: [www.canroof.com](http://www.canroof.com)

Note: Product availability may vary by region. All values shown for Regency are approximate. † Product is designed and tested to comply with ASTM/CSA standards at time of manufacture. <sup>1</sup>See Limited Warranty for complete terms, conditions, restrictions, and application requirements.

<sup>2</sup>This article contains a preservative to prevent discoloration by algae.

Shingle Swatches and House Photography shown are as accurate as modern printing processes allow. Shingle swatches shown do not fully represent the entire colour blend range of the shingles. To ensure complete satisfaction, please make your final colour selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the colour sample of all material in natural sunlight, at different times of day to ensure that your colour choices are complementary.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.